OFFICE OF THE DIRECTOR, OF HEALTH AND FAMILY PLANNING SERVICES, BANGALORE.

Dated 1st September 1971.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE WEEK ENDING SATURDAY 14TH AUGUST 1971.

1 *Plague* —The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1969 and 1970 were nil attacks with nil deaths respectively.

2 *Smallpox*.—The State remained free from Smallpox during the week under report as was in the corresponding week of last year. However as a preventive measure 3551 vaccinations have been done.

3 *Cholera*.— The State remained free from Cholera during the week under report. Comparative figures during the corresponding week of last year were 5 attacks with 4 deaths. However as a preventive measure 69 anti-cholera inoculations have been done.

4 *K. F. Diseases*.—The State remained free from K. F Disease during the week under report. Comparative figures during the corresponding week of last year were 2 attacks with nil deaths.

5 (a) *Yellow Feners Relapsing Fever, Ineectious Hepattis and Influenza*.—The State remained free from Yellow fever, and Influenza in epidemic form as against nil attacks with nil deaths reported during the corresponding week of the previous year.

(b) 7 cases with nil deaths from Infectious hepatitis have been reported from Military Hospital, Bangalore during the week under report, as against 12 attacks with nil deaths reported during the corresponding week of the previous year.

(c) *Dengue and Haemorrahagic Fever*.—The State remained free from Dengue and Haemorrahagic fever during the week as in the corresponding week of the last year.

6 *City and Corporation*.—The total mortality for Bangalore City Corporation amounted to 226 (134 in hospitals) for the week, as against 225 (105 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 11.0 (5.9 excluding hospital deaths) per mille of population (mid-year estimated) as against 11.2(5.9 excluding hospital deaths) for the corresponding week of the last year. Classed according to causes of deaths, 12 were due to Dysentery and diarrhoea, 6 due to consumption and 208 due to all other causes, as against 17 were due to Dysentery and diarrhoea, 8 due to consumption and 200 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore City amounted to 64 (23 in hospitals) for the week as against 93 (63 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 12.6 (8.0 excluding hospital deaths) per mile of population (mid-year estimated) as against 18.4 (5.9 excluding hospital deaths for the corresponding week of the last year. Classified according to causes of deaths, 10 were due to other fevers, 4 due to Dysentery and diarrhoea, one due to Typhoid and 49 due to all other causes, as against 14 were due to other fevers, and 79 due to all other causes reported during the corresponding week of the previous year.

The report of K. G. F. City has not been received.

The total mortality of Belgaum City amounted to 17 (6 in hospitals) for the week as against 21 (7 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 4.8 (3.1 excluding hospital deaths) per mille of population (mid-year estimated) as against 6.1 (4.0 excluding hospital deaths) for the corresponding week for the past year. Classified according to causes of deaths, 17 were due to all other causes, as against 11 were due to all other causes reported during the corrrspondine week of the previous year.

The total mortality of Mangalore City amounted to 12 (2 in hospitals) for the week as against 37 (24 in hospitals) during the corresponding week of the drevious year, giving a calculated death rate of 3.5 (2.9 excluding hospital deaths) per mille of populatiou (mid-year estimated) as against 11.1 (3.9 excluding hospital deaths) for the corresponding week for the past year. Classfied according to causes of deaths, 12 were due to all other causes, as against one was due to Dysentery and diarrhoea, 2 due to consumption and 34 due to all other causes reported during the corresponding week of the previous year.

....,

179 For *Director*.

Printed at the Director of Printing, Stationery & Publications at the Govt. Press, Mysore.

Reg. No. B.G. 202

The Mysore Gazette
PUBLISHED BY AUTHORITY

Vol. 106 | BANGALORE, THURSDAY, OCTOBER 7, 1971 (ASVIJA 15, SAKA ERA 1893) | No. 39

PART V

SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

PART IV—WEATHER AND CROP REPORT—MODEL—FORM D 1.

OFFICE OF THE DIRECTOR OF HEALTH AND FAMILY PLANNING SERVICES, BANGALORE.

Dated 8th September 1971.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE
WEEK ENDING
SATURDAY 21ST AUGUST 1971

1 Plague:—

No. STR/PR/2/71-72.

The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1969 and 1970 were nil attacks with nil deaths and nil attacks with nil deaths respe ctively.

2 Small-pox:—

A total of 18 attacks with one death from Small-pox was reported from the entire State, *viz.*, from taluks of Bijapur and Gokak as against nil attacks with nil deaths reported during the corresponding week of the previous year. As a preventive measure 4,763 vaccinations have been done.

3 Cholera:—

The State remained free from Cholera during the week under report. Comparative figures during the corresponding week of the last year were 2 attacks with 1 death. However as a preventive measure 167 anti-cholera inoculations have been done.

4 K.F. Diseases: —

The State remained free from K. F. Disease during the week under report. Comparative figures during the corresponding week of last year were 2 attacks with nil deaths.

5 (a) Yellow Fever, Relapsing Fever, Infectious Hepatitis and Influenza :—

The State remained free from Yellow fever, Relapsing fever and Influenza in epidemic form as against nil attacks with nil deaths reported during the corresponding week of the previous year.

(*b*) One case with nil deaths from Infectious nepatitis have been reported from Military Hospital, Bangalore during the week under report as against 11 attacks with nil deaths reported during the corresponding week of the previous year.

(*c*) *Dengue and Haemorrahagic Fever* :—

The State remained free from Dengue and Haemorrahagic fever during the week as in the corresponding week of the last year.

6 City and Corporation :—

The total mortality for Bangalore City Corporation amounted to 263(98 in hospitals) for the week as against 294 (106 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 14.4 (9.2 excluding hospital deaths) per mille of population (mid-year estimated)as against 14.6(9.3 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 22 were due to Dysentery and diarrhoea, 10 due to consumption and 231 due to all other causes as against 21 were due to dysentery and diarrhoea, 13 due to consumption and 260 due to all other causes, reported during the correspondiag week of the previous year.

The total mortality for Mysore City amounted to 61 (45 in hospitals) for the week as against 131(126 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 12.0 (3.1 excluding hospital deaths) per mille of population (mid-year estimated) as against 25.8 (0.9 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 5 were due to other fevers, one due to Typhoid, and 55 due to all other causes, as against 131 were due to all other causes reported during the corresponding week of the previous year.

The total mortality for K.G.F. City amounted to 11(11 in hospitals) for the week, giving a calculated death rate of 3.4 (nil exculding hospital deaths) per mille of population (mid-year estimated). Classified according to causes of deaths, 11 were due to all other causes.

The total mortality of Belgaum City amounted to 31 (13 in hospitals) for the week as against 28(6 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 8.7(5.0 excluding hospital deaths) per mille of population (mid-year estimated) as against 8.0 (6.3 excluding hospital deaths) for the corresponding week for the past year. Classified according to causes of deaths, 31 were due to all other causes, as against 28 were due to all other causes reported during the corresponding week of the previous year.

The total mortality of Mangalore City amounted to 9 (6 in hospitals) for the week as against 34 (29 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 2·6 (0.9 excluding hospital deaths) per mille of population (mid-year estimated) as against 10.2 (1.5 excluding hospital deaths) for the corresponding week for the past year. Classified according to causes of deaths, 2 were due to consumption and 7 due to all other causes, as against 4 due to Dysentery and diarrhoea, one due to consumption and 29 due to all other causes reported during the corresponding week of the previous year.

.....

67 *Director of Health & F.P.S.*

OFFICE OF THE DIRECTOR OF HEALTH AND FAMILY PLANNING SERVICES, BANGALORE.

Dated 15th September 1971.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE WEEK ENDING SATURDAY 28TH AUGUST 1971.

No. STR/PR/2/71-72.

1 Plague :—

The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1969 and 1970 were nil attacks with nil deaths and nil attacks with nil deaths respectively.

2 Small-pox :—

The State remained free from Small-pox during the week under report, as was in the corresponding week of last year. However as a preventive measure 4,090 vaccinations have been done.

3 *Cholera* :—

A total of 51 attacks with 11 deaths from Cholera was reported for the entire State, *viz*, from the taluks of Haliyal, Sidlagatta, Chikballapur and Koratagere during the week as against one attack with one death reported during the corresponding week of the last year. As a preventive measure 13,921 anti-cholera inoculations have been done.

4 *K. F. Diseases* :—

A total of 8 attacks with nil deaths from K.F. Disease was reported from Shimoga District, as against 14 attacks with nil deaths reported during the corresponding week of the previous year.

5 (a) *Yellow Fever, Relapsing fever. Infectious Hepatitis and Influenza* :—

The State remained free from Yellow fever, Relapsing fever and Influenza in epidemic form as against nil attacks with nil deaths reported during the corresponding week of the previous year.

(b) 8 cases with nil deaths from Infectious hepatitis have been reported from Military Hospital, Bangalore during the week under report, as against 7 attacks with nil deaths reported during the corresponding week of the previous vear.

(c) *Dengue and Haemorrahagic fever* :—

The State remained free from Dengue and Haemorrahagic fever during the week as in the corresponding week of the last year.

6 *City and Corporation* :—

The total mortality for Bangalore City Corporation amounted to 247 (104 in hospitals) for the week, as against 320 (150 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 15.7 (8.3 excluding hospital deaths) per mille of population (mid-year estimated) as against 15.9 (8.4 excluding hospital deaths) for the corresponding week of last year Classified according to causes of deaths, 15 were due to Dysentery and diarrhoea, 12 due to consumption and 220 due to all other causes as against 25 were due to dysentery and diarrhoea, 14 due to consumption and 291 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore City amounted to 42 (nil in hospitals) for the week, as against 35 (28 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 8.2 (8.2 excluding hospital deaths) per mille of population (mid-year estimated) as against 6.9 (1 3 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths,16 were due to other fevers, and 26 due to all other causes, as against 2 were due to other fevers, one due to Dysentery and diarrhoea, one due to consumption and 31 due to all other causes, reported during the corresponding week of the previous year.

The report of K. G. F. City has not been received.

The total mortality of Belgaum City amounted to 27 (15 in hospitals) for the week, as against 11 (nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 7.6 (3.4 excluding hospital deaths) per mille of population (mid-year estimated) as against 3.1 (3.1 excluding hospital deaths) for the corresponding week for the past year. Classified according to causes of deaths, 27 were due to all other causes, as against 11 were due to all other causes reported during the corresponding week of the previous year.

The total mortality of Mangalore City amounted to 56 (46 in hospitals). for the week, as against 20 (19 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 16.6 (3.0 excluding hospital deaths) per mille of population (mid-year estimated) as against 6.0 (0.3 excluding hospital deaths) for the corresponding week for the past year. Classified according to causes of deaths,2 were due to other fevers, one due to dysentery and diarrhoea, 4 due to consumption and 49 due to all other causes as against 4 were due to Dysentery and diarrhoea, and 16 due to all other causes reported during the corresponding week of the previous year.

.....

68 For *Director of Health & F.P. Services.*

[Part V Page Nos. 453 to 464, Consisting of Page Nos. C 1 to C 12, dated 7th October 1 71]

Printed by the Director of Printing, Sty. & Publications at the Govt. Press, Blore